


Age of H1N1 cases, hospitalizations and deaths, South Dakota, as of 11 August 2009



Groups recommended to receive novel H1N1 influenza vaccine


(ACIP Recommendation, 29 July 2009)

- Pregnant women;
- All people from 6 months — 24 years of age;
- Household contacts & caregivers for children younger than 6 months;
- Healthcare and EMS personnel;
- Persons aged 25 — 64 years who have health conditions associated with higher risk of medical complications from influenza.

If initial vaccine supplies are limited the first to be vaccinated will be these subgroups:

- Pregnant women;
- People who live with/care for children younger than 6 months;
- Healthcare & EMS with direct patient contact;
- Children 6 months — 4 years;
- Children 5 — 18 with chronic medical conditions

H1N1 Vaccination target groups estimates: South Dakota recommendations, (based on ACIP Recommendations, 29 July 2009)



Pregnant	12,250
New parents	21,500
Child care staff	4,410
Children 6m-4yr	52,382
Healthcare workers	40,000
Children 5-18 yr	150,777
High risk adults	76,328
Youth 19-24 yr	71,835
First responders	12,681
TOTAL	442,163

STOP



IT

DON'T SPREAD IT

PREVENT FLU, COLDS AND OTHER INFECTIOUS DISEASES

- ❖ **Get your flu shot** ❖
- ❖ **Wash your hands often with soap & water** ❖
- ❖ **Use hand gel** ❖
- ❖ **If you cough or sneeze, cover your mouth** ❖
- ❖ **Don't touch your eyes, nose or mouth** ❖
- ❖ **If you're sick, stay home** ❖



A message from the S.D. Department of Health

H1N1 Resources

- SD Department of Health
<http://doh.sd.gov>
- SD Department of Education
<http://www.doe.sd.gov/oess/schoolhealth/H1N1flu.asp>
- Centers for Disease Control and Prevention
<http://www.cdc.gov/h1n1flu/>
- US Department of Health and Human Services
<http://www.flu.gov/>
- US Food and Drug Administration
<http://www.fda.gov/NewsEvents/PublicHealthFocus/ucm150305.htm>
- World Health Organization
<http://www.who.int/csr/disease/swineflu/en/>